



Albi Manufacturing

Division of StanChem, Inc.
401 Berlin St., East Berlin, CT 06023
Emergency Telephone Number: CHEMTREC 1-800/424-9300
Information Telephone Number: 860/828-0571
Date of Preparation: 3/1/12

Section I - Product Identification

Product Number: 15X0200
Product Name: Albi Cote FRL
Product Class: Fire Retardant Coating

Section II - Health Hazard Data

Effects of Overexposure:

Inhalation: May cause headaches
Skin: Possible primary irritation
Eyes: Primary irritation
Ingestion: May cause gastrointestinal nausea, vomiting and diarrhea

Section III - Hazardous Ingredients

Ingredient	Percent Wt.	Occupational Exposure Limits				Skin (ppm)	Vapor Pressure @20°C (mmHg)
		ACGIH TLV (ppm)	ACGIH TWA (ppm)	OSHA STEL (ppm)	Ceiling (ppm)		

This product contains no hazardous ingredients as defined under the criteria of the Federal OSHA Hazard Communication Standard 29 CFR 1910.1200.

Section IV - First Aid Measures

First Aid Procedures:

Inhalation: Remove individual to fresh air
Skin: Wash thoroughly with soap and water. Remove contaminated clothing
Eyes: Immediately flush eyes with plenty of water for at least 15 minutes. Consult a physician
Ingestion: Dilute with clear fluid, then immediately call a Physician or the Poison Control Center

Section V - Fire and Explosion Hazard Data

Flammability Classification:

OSHA: Not Flammable
DOT: Not Flammable
Flash Point: N/A
LEL: N/A

Extinguishing Media: Foam Alcohol Foam CO₂ Dry Chemical Fog

Unusual Fire & Explosion Hazards: N/A

Section VI - Accidental Release Measures

Steps to be Taken in Case

Material is Released or Spilled: Contain and absorb with inert absorbent

Section VII - Safe Handling and Storage

Handling:	Empty containers may contain product residue; follow MSDS and label warnings even after the container has been emptied
Storage:	Keep from freezing

Section VIII - Exposure Controls and Personal Protection

Respiratory Protection:	Approved mechanical filters designed to remove solid airborne particles from overspray during application
Ventilation:	Local exhaust as required by job conditions to keep TLV below acceptable limits. Refer to OSHA regulations 29 CFR Part 1910.94
Protective Gloves:	Recommended
Eye Protection:	Use Safety eyewear with splash guards or side shields
Other Protective Equipment:	None
Hygienic Practices:	Personnel should wash thoroughly after handling product. Always wash-up before eating, smoking or using the toilet facilities.
Other Precautions:	Avoid contact with eyes and skin

Section IX - Physical Data

Boiling Range:	180° - 350°F (82° - 177°C)
Weight per Gallon:	10.4 - 11.4 lb/gal
Percent Volatility:	36.0 – 38.0 %
Solids:	62.0-64.0%
VOC Content:	76 g/L
pH:	7.5-8.5

Section X - Stability and Reactivity

Stability:	Stable
Hazardous Polymerization:	Will Not Occur
Hazardous Decomposition Products:	Combustion may produce carbon dioxide and/or carbon monoxide
Conditions To Avoid:	N/A
Incompatibility [Materials to avoid]:	Strong oxidizing agents

Section XI - Toxicological Information

Primary Routes of Exposure:	Skin Contact	Inhalation
Medical Conditions Prone to Aggravation by Exposure:	Sinus	Dermatitis
Product Toxicology		
Carcinogenicity:	NTP?	No
	IARC Monographs?	No
	OSHA Regulated?	No

Section XII - Ecological Information

Potential to Bioaccumulate:	Unknown
Aquatic Toxicity:	No data available for this product

Section XIII - Disposal Considerations

Waste Disposal Methods:	Disposal should be in accordance with local, state and federal regulations
-------------------------	----------------------------------------------------------------------------

Section XIV - Transportation

Proper Shipping Name: Albi Cote FRL
Technical Name: Latex Paint
Identification Number: NA
Hazard Class/Division: NA
Packing Group: NA

The information provided herein may not include the impact of additional regulatory requirements (e.g. for materials meeting the definition of a hazardous waste under RCRA, hazardous substances under CERCLA, and/or marine pollutants under CWA or other similar federal, state or local laws) or any associated exceptions or exemptions under regulations applicable to the transport of this material.

Section XV - Regulatory Information

TSCA

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements

Section XVI - Other Information

Hazard Rating Systems

	NFPA 704*	HMIS**	Key:	0 = Insignificant
Health:	1	1	1 = Slight	2 = Moderate
Flammability:	0	0	3 = High	4 = Extreme
Reactivity:	0	0	B = Eye Protection and gloves	
Personal Protection:		B		

* National Fire Protection Association rating identifies the severity of hazards of material during a fire emergency (i.e., "on fire")

** Hazardous Materials Identification System, National Paint and Coatings Association rating applies to product "as packaged" (i.e., ambient temperature)

Notice

This information is furnished without warranty, representation, inducement or license of any kind, except that it is accurate to the best of StanChem's knowledge or obtained from sources believed by StanChem to be accurate. StanChem does not assume any legal responsibility for use or reliance upon same. Customers are encouraged to conduct their own tests. For additional technical information contact StanChem.